CHILD RECODE DOCUMENTATION

PERU		Vers	sion 01 Doc 03	PE
Name of survey	Encuesta Demografica y de Salud Familiar			
Executing Agency	Instituto Naciona	ıl de Esta	distica	
Year of fieldwork 1986				
Universe Births < 60 months before survey of all women, 15-49				
Size	Children:	3131 3131	(unweighted) (weighted V005/1000000)	
Anthropometry	None			
Records per case Child: 5				

0.5.01	
<u>SEC1</u>	Data from Mother's Standard Records REC01 and REC11
<u>SEC2</u>	Data from Mother's Standard Records REC22, REC32 and REC42
<u>SEC3</u>	Data from Mother's Standard Records REC51, REC61 and REC71
<u>SEC4</u>	Data from Child's Standard Records REC41, REC43 and REC44
<u>SEC5</u>	Country-specific variables from Record REC91 and REC33
SDEPTO	Department
SPROV	Province
SDISTRIT	District
SDOMINIO	Domain
SSELMUES	Household selection
SVIVIEND	Household number in the listing
SPS	Main household or supplementary
STIPOSUP	Type of supplementary household
SOTRASVI	Other households in the selected household
SNOTRVIV	Number of other households
SPTAPRIN	Main entrance to the household
SOTROHOG	Other household groups in the household
SNOTRHOG	Number of other household groups in the household
SDIAVISF	Day of individual interview
SRESULT1	Result of first visit
SRESULT2	Result of second visit
SRESULT3	Result of third visit
SRESULT4	Result of fourth visit
SIDIOMAE	Language of interview
SUSOINTE	Use of interpreter
SSUPERV	Supervisor's code
SCRITICO	Editor's code
S107	Original age as reported by the respondent
S119A	Main material of walls
S220	Original age of each child as reported by the respondent
S227	Injection against tetanus
S310	Greatest risk of pregnancy
S312A	Where first received information for periodic abstinence method
S312B	Whether taught to use periodic abstinence method
S312C	Where taught to use periodic abstinence method
S312D	Year first taught about periodic abstinence method
S315A	Cost of sterilization
S317A	Cost of contraceptive method
S318A	Brand of pill or condom
S342A	Heard of breastfeeding to avoid pregnancy
S342B	Filter: Any living children
S342C	Ever used breastfeeding method to avoid pregnancy
S342D	Filter: Ever used any contraceptive method
S342E	Used breastfeeding with another contracpeitve method
S510	Age first lived with first partner
S608	Last child born by Caesarean section
S718A	Worked in the last 7 days
S718B	Did not work but had a job in the last 7 days
S718C	Done any casual work in the last 7 days

S718D	Worked in last 7 days for own or family business
S720	Occupation of respondent
S721	Work status of respondent
S722	Economic activity of business
S723	Hours worked per week
S724	Ever worked in the last 12 months

Notes about Child Recode

1. The child recode has been constructed from the woman's standard recode file. In DHS, Phase I, the multiple records for the health sections related to each birth in the 5 years prior to the survey were not parallel; therefore, the HIDX and HWIDX variables and other variables in those records were not applicable for children who had died or who were not measured. Although the frequencies show "Default" values, no "*" appear in the data.

- 1. CP6 Code 2 label should be "Method Failed" source for code 2 is question 351 in the Peru questionnaire.
- 2. SCPOBLAD Currently blank for all cases rather than containing the code for the Centro de Poblado.
- 3. V116 This variable is incorrectly constructed. In addition the country specific part of question 116 concerning exclusive or communal use of the toilet facility was omitted from the individual recode data file.
- 4. S118E-F These variables reflecting the country specific parts 5 & 6 of question 118 were omitted from the individual recode data file.
- 5. V326-7 The wording of question 320 in the individual questionnaire was not correct. The question should ask for the last source of the current method for users of modern methods and the last source of advise for users of traditional methods. Instead the question asked for the last source of the method or information about the method irrespective of whether the method was modern or traditional. this implies that V326 and V327 cannot be taken to be the source of the current method for users of modern methods, but rather the place that the user last obtained the method or information about it.